



### A simply superior range

Designated the SCRUBTEC 6 series, the range constitutes a choice for users of scrubbing widths. Apart from the interchangeable brush deck, other features include an exceptionally low noise level, adjustable scrubbing pressure and dashboard that is designed to reduce typical operator errors

Suitable for easy, efficient floor cleaning in hospitals, retail outlets, manufacturing plants, car dealers, garages, warehouses, restaurants, hotels, and wherever it is important that floors be kept clean.

### PRODUCT FACTS

- Interchangeable brush decks with 2 disc sizes (53 and 61 cm) or 51 cm cylindrical
- 55 litres solution and recovery tanks
- Large access to recovery tank speeds up cleaning time
- Adjustable scrubbing pressure provides the best results under all conditions

Model	SCRUBTEC 651	SCRUBTEC 651	SCRUBTEC 651	SCRUBTEC 653	SCRUBTEC 653
Ref. no	9087192020	9087193020	9087194020	9087186020	9087187020
Description	SCRUBTEC 651 BCL	SCRUBTEC 651 BCL COMBI	SCRUBTEC 651 BCL COMBI UK	SCRUBTEC 653 B	SCRUBTEC 653 B COMBI
<b>PRODUCT FEATURES</b>					
WITH TRACTION MOTOR	■	■	■	■	■
ON-BOARD CHARGER		■	■		■
AUTOMATIC BRUSH SHUT OFF	■	■	■	■	■
AUTOMATIC SOLUTION SHUT OFF	■	■	■	■	■
SOLUTION FILTER	■	■	■	■	■
ADJUSTABLE BRUSH PRESSURE					
CLICK ON-OFF BRUSH				■	■
CYLINDRICAL BRUSH VERSION	■	■	■		
DISC BRUSH VERSION				■	■
INTERCHANGEABLE BRUSH DECK	■	■	■	■	■
RECOVERY EMPTYING HOSES	■	■	■	■	■
REMOVABLE RECOVERY LID	■	■	■	■	■
SOLUTION LEVEL INDICATOR	■	■	■	■	■
ROLLER BUMPERS ON SQUEEGEE	■	■	■	■	■
<b>INCL. ACCESSORIES</b>					
909 6483 000 BLADE NEOPRENE FRONT	■	■	■	■	■
L08603830 BLADE NEOPRENE FRONT					
909 6484 000 BLADE NEOPRENE REAR	■	■	■	■	■
L08603832 BLADE PARA REAR					
909 6850 000 BRUSH DECK 611D KIT W/SQUEEGEE					
L08603842 BRUSH PROLENE 305MM					
L08837025 BRUSH PROLENE 530MM					■
909 6739 000 CHARGER BATTERY CPL KIT		■	■		■
7116009 EX BATTERY 6DF 100 DFM.		■	■		■
909 6851 000 SQUEEGEE CPL ALU KIT 30"	■	■	■	■	■
909 5372 000 SQUEEGEE CPL KIT 32"					

Technical specifications	SCRUBTEC 651	SCRUBTEC 651	SCRUBTEC 651	SCRUBTEC 653	SCRUBTEC 653
MOTOR POWER SOURCE	Battery	Battery 100Ah	Battery 100Ah	Battery	Battery 100Ah
VOLTAGE (V)	24	24	24	24	24
PROTECTION CLASS (ELECTRICAL)	IPX4	IPX4	IPX4	IPX4	IPX4
INSULATION CLASS	III	III	III	III	III
RATED POWER (W)	1330	1330	1330	810	810
AIRFLOW (L/SEC)	25.3	25.3	25.3	25.3	25.3
VACUUM (KPA)	11	11	11	11	11
SOUND PRESSURE LEVEL AT 1.5 M (DB(A)ISO 3744)	65.8	65.8	65.8	65.8	65.8
PRODUCTIVITY RATE (M <sup>2</sup> / H)	2040	2040	2040	2120	2120
SCRUBBING WIDTH (MM)	510	510	510	530	530
MIN. TURN-AROUND AISLE WIDTH (CM)	70	70	70	70	70
MAX SPEED (KM/H)	5.6	5.6	5.6	-	-
MAX CLIMBING RATE (%)	16	16	16	-	-
BRUSH PRESSURE (KG)	28	28	28	25	25
BRUSH SPEED (RPM)	570	570	570	135	135
LENGTH X WIDTH X HEIGHT (CM)	125x57x105	125x57x105	125x57x105	132x54x105	132x54x105
WEIGHT (KG)	112	112	112	88	88
OPERATING WEIGHT (MACHINE ONLY) (LB)	257	257	257	237	237
WATER FLOW (L/M)	0.55-1.1	0.55-1.1	0.55-1.1	0.55-1.1	0.55-1.1
BRUSH MOTOR (W)	2x400	2x400	2x400	480	480

Technical specifications	SCRUBTEC 651	SCRUBTEC 651	SCRUBTEC 651	SCRUBTEC 653	SCRUBTEC 653
BRUSH SIZE (MM)	2x510	2x510	2x510	530	530
SQUEEGEE WIDTH (MM)	760	760	760	760	760
TANK CAPACITY, SOLUTION/RECOVERY (L)	55/55	55/55	55/55	55/55	55/55
TRACTION MOTOR POWER (W)	200	200	200	-	-
VACUUM MOTOR POWER (W)	330	330	330	330	330

Model	SCRUBTEC 653	SCRUBTEC 653	SCRUBTEC 653	SCRUBTEC 653	SCRUBTEC 653
Ref. no	9087188020	9087189020	9087190020	9087191020	9087198020
Description	SCRUBTEC 653 B COMBI UK	SCRUBTEC 653 BL	SCRUBTEC 653 BL COMBI	SCRUBTEC 653 BL COMBI UK	SCRUBTEC 653 E
<b>PRODUCT FEATURES</b>					
WITH TRACTION MOTOR		■	■	■	
ON-BOARD CHARGER	■		■	■	
AUTOMATIC BRUSH SHUT OFF	■	■	■	■	■
AUTOMATIC SOLUTION SHUT OFF	■	■	■	■	■
SOLUTION FILTER	■	■	■	■	■
ADJUSTABLE BRUSH PRESSURE		■	■	■	
CLICK ON-OFF BRUSH	■	■	■	■	■
CYLINDRICAL BRUSH VERSION					
DISC BRUSH VERSION	■	■	■	■	■
INTERCHANGEABLE BRUSH DECK	■	■	■	■	■
RECOVERY EMPTYING HOSES	■	■	■	■	■
REMOVABLE RECOVERY LID	■	■	■	■	■
SOLUTION LEVEL INDICATOR	■	■	■	■	■
ROLLER BUMPERS ON SQUEEGEE	■	■	■	■	■
<b>INCL. ACCESSORIES</b>					
909 6483 000 BLADE NEOPRENE FRONT	■	■	■	■	■
L08603830 BLADE NEOPRENE FRONT					
909 6484 000 BLADE NEOPRENE REAR	■	■	■	■	■
L08603832 BLADE PARA REAR					
909 6850 000 BRUSH DECK 611D KIT W/SQUEEGEE					
L08603842 BRUSH PROLENE 305MM					
L08837025 BRUSH PROLENE 530MM	■		■	■	■
909 6739 000 CHARGER BATTERY CPL KIT	■		■	■	
7116009 EX BATTERY 6DF 100 DFM.	■		■	■	
909 6851 000 SQUEEGEE CPL ALU KIT 30"	■	■	■	■	■
909 5372 000 SQUEEGEE CPL KIT 32"					

Technical specifications	SCRUBTEC 653	SCRUBTEC 653	SCRUBTEC 653	SCRUBTEC 653	SCRUBTEC 653
MOTOR POWER SOURCE	Battery 100Ah	Battery	Battery 100Ah	Battery 100Ah	Cable
VOLTAGE (V)	24	24	24	24	230
PROTECTION CLASS (ELECTRICAL)	IPX4	IPX4	IPX4	IPX4	IPX4
INSULATION CLASS	III	III	III	III	I
RATED POWER (W)	810	1010	1010	1010	1650
AIRFLOW (L/SEC)	25.3	25.3	25.3	25.3	36
VACUUM (KPA)	11	11	11	11	13
SOUND PRESSURE LEVEL AT 1.5 M (DB(A)ISO 3744)	65.8	65.8	65.8	65.8	67.3
PRODUCTIVITY RATE (M <sup>2</sup> / H)	2120	2120	2120	2120	2120
SCRUBBING WIDTH (MM)	530	530	530	530	530
MIN. TURN-AROUND AISLE WIDTH (CM)	70	70	70	70	70
MAX SPEED (KM/H)	-	5.6	5.6	5.6	-
MAX CLIMBING RATE (%)	-	16	16	16	-
BRUSH PRESSURE (KG)	25	25/45	25/45	25/45	32
BRUSH SPEED (RPM)	135	135	135	135	150
LENGTH X WIDTH X HEIGHT (CM)	132x54x105	132x54x105	132x54x105	132x54x105	130x54x105
WEIGHT (KG)	88	109	109	109	131
OPERATING WEIGHT (MACHINE ONLY) (LB)	237	254	254	254	186
WATER FLOW (L/M)	0.55-1.1	0.55-1.1	0.55-1.1	0.55-1.1	0.55-1.6
BRUSH MOTOR (W)	480	480	480	480	1100

Technical specifications	SCRUBTEC 653	SCRUBTEC 653	SCRUBTEC 653	SCRUBTEC 653	SCRUBTEC 653
BRUSH SIZE (MM)	530	530	530	530	530
SQUEEGEE WIDTH (MM)	760	760	760	760	760
TANK CAPACITY, SOLUTION/RECOVERY (L)	55/55	55/55	55/55	55/55	55/55
TRACTION MOTOR POWER (W)	-	200	200	200	-
VACUUM MOTOR POWER (W)	330	330	330	330	550

Model	SCRUBTEC 653	SCRUBTEC 661	SCRUBTEC 661	SCRUBTEC 661
Ref. no	9087199020	9087195020	9087196020	9087197020
Description	SCRUBTEC 653 E UK	SCRUBTEC 661 BL	SCRUBTEC 661 BL COMBI	SCRUBTEC 661 BL COMBI UK

### PRODUCT FEATURES








WITH TRACTION MOTOR		■	■	■
ON-BOARD CHARGER				
AUTOMATIC BRUSH SHUT OFF	■	■	■	■
AUTOMATIC SOLUTION SHUT OFF	■	■	■	■
SOLUTION FILTER	■	■	■	■
ADJUSTABLE BRUSH PRESSURE		■	■	■
CLICK ON-OFF BRUSH	■	■	■	■
CYLINDRICAL BRUSH VERSION				
DISC BRUSH VERSION	■	■	■	■
INTERCHANGEABLE BRUSH DECK	■	■	■	■
RECOVERY EMPTYING HOSES	■	■	■	■
REMOVABLE RECOVERY LID	■	■	■	■
SOLUTION LEVEL INDICATOR	■	■	■	■
ROLLER BUMPERS ON SQUEEGEE	■	■	■	■




### INCL. ACCESSORIES

909 6483 000 BLADE NEOPRENE FRONT	■			
L08603830 BLADE NEOPRENE FRONT		■	■	■
909 6484 000 BLADE NEOPRENE REAR	■			
L08603832 BLADE PARA REAR		■	■	■
909 6850 000 BRUSH DECK 611D KIT W/SQUEEGEE		■	■	■
L08603842 BRUSH PROLENE 305MM			■	■
L08837025 BRUSH PROLENE 530MM	■			
909 6739 000 CHARGER BATTERY CPL KIT			■	■
7116009 EX BATTERY 6DF 100 DFM.			■	■
909 6851 000 SQUEEGEE CPL ALU KIT 30"	■			
909 5372 000 SQUEEGEE CPL KIT 32"		■	■	■

Technical specifications	SCRUBTEC 653	SCRUBTEC 661	SCRUBTEC 661	SCRUBTEC 661
MOTOR POWER SOURCE	Cable	Battery	Battery 100Ah	Battery 100Ah
VOLTAGE (V)	230	24	24	24
PROTECTION CLASS (ELECTRICAL)	IPX4	IPX4	IPX4	IPX4
INSULATION CLASS	I	III	III	III
RATED POWER (W)	1650	1230	1230	1230
AIRFLOW (L/SEC)	36	25.3	25.3	25.3
VACUUM (KPA)	13	11	11	11
SOUND PRESSURE LEVEL AT 1.5 M (DB(A)ISO 3744)	67.3	65.8	65.8	65.8
PRODUCTIVITY RATE (M <sup>2</sup> / H)	2120	2440	2440	2440
SCRUBBING WIDTH (MM)	530	610	610	610
MIN. TURN-AROUND AISLE WIDTH (CM)	70	70	70	70
MAX SPEED (KM/H)	-	5.6	5.6	5.6
MAX CLIMBING RATE (%)	-	16	16	16
BRUSH PRESSURE (KG)	32	27/47	27/47	27/47
BRUSH SPEED (RPM)	150	230	230	230
LENGTH X WIDTH X HEIGHT (CM)	130x54x105	131x65x105	131x65x105	131x65x105
WEIGHT (KG)	131	110	110	110
OPERATING WEIGHT (MACHINE ONLY) (LB)	186	255	255	255
WATER FLOW (L/M)	0.55-1.6	0.55-1.1	0.55-1.1	0.55-1.1
BRUSH MOTOR (W)	1100	2x350	2x350	2x350

Technical specifications	SCRUBTEC 653	SCRUBTEC 661	SCRUBTEC 661	SCRUBTEC 661
BRUSH SIZE (MM)	530	2x305	2x305	2x305
SQUEEGEE WIDTH (MM)	760	810	810	810
TANK CAPACITY, SOLUTION/RECOVERY (L)	55/55	55/55	55/55	55/55
TRACTION MOTOR POWER (W)	-	200	200	200
VACUUM MOTOR POWER (W)	550	330	330	330

Accessories	Ref. no	Min. required	SCRUBTEC 651	SCRUBTEC 653	SCRUBTEC 661	
<b>Batteries and Chargers</b>						
	BATT. CLAMP. -TERMINAL10	7116188	2	■	■	■
	EX BATTERY 6DF 100 DFM.	7116009	1	■	■	■
	CHARGER 24V 20A SMC	7116107	1	■	■	■
	CHARGER 24V 20A	7116142	1	■	■	■
	BATTERY 6STO72 FOR BA430	7116004	1	■	■	■
	CHARGER 24V 20A	7116141	1	■	■	■
	EX BATTERY 6DF 070 DFM	7116162	1	■	■	■
	CHARGER 24V 20A SMC	7116140	1	■	■	■
<b>ON-BOARD CHARGER</b>						
	CHARGER BATTERY CPL KIT	909 6739 000	1	■	■	■
<b>Pad 12" / 305mm</b>						
 305 mm	PAD 12 305MM WHITE 5PCS	82256800	2			■
	PAD 12 305MM RED 5PCS	L00190792	2			■
	PAD 12 305MM BLUE 5PCS	L00190790	2			■
	PAD 12 305MM GREEN 5PCS	L00276002	2			■
	PAD 12 305MM BROWN 5PCS	L00190791	2			■
	PAD 12 305MM BLACK 5 PCS	L00276004	2			■
<b>Pad 21" / 530mm</b>						
 530 mm	PAD 21 530MM WHITE 5PCS	82322200	1		■	
	PAD 21 530MM RED 5PCS	L08837043	1		■	
	PAD 21 530MM BLUE 5PCS	L08837044	1		■	
	PAD 21 530MM GREEN 5PCS	L00277025	1		■	
	PAD 21 530MM BROWN 5PCS	L08837045	1		■	
	PAD 21 530MM BLACK 5PCS	82322300	1		■	
<b>Brush disc. 305mm</b>						
 305 mm	BRUSH UNION MIX 305MM	L08603875	2			■
	BRUSH PROLENE 305MM	L08603842	2			■
	BRUSH PROLITE 305MM	L08603874	2			■
	BRUSH MIDLITE GRIT180	L08603872	2			■
	BRUSH MIDGRIT 240 305MM	L08603873	2			■
<b>Brush disc. 530mm</b>						
 530 mm	BRUSH UNION MIX 530MM	L08837027	1		■	
	BRUSH PROLENE 530MM	L08837025	1		■	
	BRUSH PROLITE 530MM	L08837026	1		■	
	BRUSH ASLIDEE GRIT 500	L08837067	1		■	
	BRUSH, MIDLITE 180 GRIT	L08837028	1		■	
	BRUSH,MIDGRIT MEDIUM	L08837029	1		■	
	BRUSH DYNA GRIT 80 530MM	L08837066	1		■	
	BRUSH MAGNA GRIT 46 530MM	L08837065	1		■	
<b>Brush, cylindrical</b>						
	BRUSH CYL. PPL 0.4 20"	909 5823 000	2	■		

Accessories	Ref. no	Min. required	SCRUBTEC 651	SCRUBTEC 653	SCRUBTEC 661
<b>Brush, cylindrical</b>					
	BRUSH CYL. NYLON 0.45 20"	909 5824 000	2	■	
	BRUSH CYL. ABRASIVE 0.60 20"	909 5825 000	2	■	
<b>Squeegees, blades, skirts and splash guards</b>					
	SQUEEGEE CPL ALU KIT 30"	909 6851 000	1	■	■
	BLADE NEOPRENE FRONT	909 6483 000	1	■	■
	BLADE NEOPRENE REAR	909 6484 000	1	■	■
	BLADES POLYURET.KIT 30"	909 6858 000	1	■	■
	BLADES NEOPRENE KIT 30"	909 6860 000	1	■	■
	SPLASH GUARD KIT	909 6736 000	1		■
	SQUEEGEE CPL KIT 32"	909 5372 000	1		■
	BLADE NEOPRENE FRONT	L08603830	1		■
	BLADE PARA REAR	L08603832	1		■
	WEAR PACK STD SQU.BLADES SOLUT.FILTER,PR	909 5006 000	1		■
	BLADES POLYURET.KIT 32"	909 6859 000	1		■
<b>Others</b>					
	FILTER ANTIFOAMING	909 5065 000	1	■	■
	WHEEL CASTOR SS	909 6900 000	1	■	■
	WHEEL FRONT D.250 DRIVE	9097026000	2	■	■
	CHEMICAL MIXING SYSTEM	9097160000	1	■	■
	PRESSURE EXTRA BRUSH KIT GAS SPRING 10KG	9097185000	1		■
	PRESSURE EXTRA BRUSH KIT GAS SPRING 20KG	9097186000	1		■
	COUNTER HOUR 24V KIT	9096951000	1	■	■
	COUNTER HOUR 230V KIT	909 6735 000	1	■	■
	BRUSH DECK 545BL KIT WITHOUT SQUEEGE	9097176000	1	■	■
	BRUSH CYLINDRICAL DECK KIT W/OUT SQUEEGE	909 6854 000	1	■	■
	BRUSH DECK 553/653BL KIT WITHOUT SQUEEGE	9097177000	1	■	■
	BRUSH DECK 651BL KIT WITHOUT SQUEEGE	9097179000	1	■	■
	HOSE FILLING	909 5327 000	1	■	■